

Appl. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Canceled)
2. (Previously presented): A disposable cartridge that operates in conjunction with a point-of-care analytical device, said cartridge comprising:
  - a network of conduits and reservoirs within said cartridge; and
  - at least one micro pump fluidly coupled to said network for transporting small volumes of biological fluid, said pump comprising:
    - a rotatable portion having a magnetic core and configured to be rotatable by alternating inductive magnetic fields to urge fluid through said network,
    - wherein said rotatable portion comprises a microscopic paddle wheel.
3. (Currently amended): A disposable cartridge that operates in conjunction with a point-of-care analytical device, said cartridge comprising:
  - a network of conduits and reservoirs within said cartridge; and
  - at least one micro pump fluidly coupled to said network for transporting small volumes of biological fluid, said pump comprising:
    - a rotatable portion having a magnetic core and configured to be rotatable by alternating inductive magnetic fields to urge fluid through said network,
    - wherein said rotatable portion comprises a microscopic paddle wheel having ~~[[has]]~~ a hydrophobic surface.
4. (Previously presented): The disposable cartridge of claim 2 wherein said alternating inductive magnetic fields provide a torsion force to the rotatable portion that does not exceed the level that would lyse or puncture blood cells.

Appln. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

5. (Previously presented): The disposable cartridge of claim 2 wherein a plurality of micro pumps are placed within the network of the cartridge.

6. (Canceled)

7. (Previously presented): The point-of-care device of claim 8 wherein the electromagnet is reused with successive disposable cartridges and the rotatable portion is contained in the cartridge and does not contaminate the electromagnet.

8. (Previously presented): A point-of-care analytical device, said device comprising:  
a disposable cartridge;  
a network of conduits and reservoirs within said cartridge;  
a micro pump fluidly coupled to said network for transporting small volumes of biological fluid, said pump comprising a rotatable portion configured to be rotatable by alternating inductive magnetic fields to urge fluid through said network; and  
an external electromagnet providing said alternating inductive magnetic fields for causing the rotatable portion to move to transport small volumes, said electromagnet positioned external to said disposable cartridge and fluidically isolated from said micro pump;  
wherein said rotatable portion comprises a microscopic paddle wheel coupled inductively to said external electromagnet.

9. (Previously presented): The point-of-care device of claim 8 wherein an actual pumping mechanism of the micro pump is completely isolated from said external electromagnet.

10. (Previously presented): A point-of-care analytical device, said device comprising:  
a disposable cartridge;  
a network of conduits and reservoirs within said cartridge;

Appl. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

a micro pump fluidly coupled to said network for transporting small volumes of biological fluid, said pump comprising a rotatable portion configured to be rotatable by alternating inductive magnetic fields to urge fluid through said network; and

an external electromagnet providing said alternating inductive magnetic fields for causing the rotatable portion to move to transport small volumes, said electromagnet positioned external of said disposable cartridge and fluidically isolated from said micro pump;

wherein said rotatable portion comprises a microscopic paddle wheel coupled inductively to said external electromagnet; and

wherein the paddle wheel to actuate the motion may be separated by either plastic or silicon and still maintain an inductive coupling with the paddle wheel such that the magnetic core spins by rotating the magnetic field.

11. (Original): The point-of-care device of claim 8 wherein the electromagnet comprises a micro-coil which causes the paddle wheel to move according to the alternating field in the micro-coil.

12. (Original): The point-of-care device of claim 8 wherein the paddle wheel in micro-pump conduits that contain paddle wheel chambers to house the paddle wheels recessed in the conduits to facilitate cartridge assembly.

13. (Original): The point-of-care device of claim 8 where the paddle wheels act as valves in the network to isolate the biological fluid prior and after pumping to control reaction time and isolate analytical reactions.

14. (Previously presented): The point-of-care device of claim 8 wherein said alternating inductive magnetic fields provide a torsion force to the rotatable portion that does not exceed the level that would lyse or puncture blood cells.

15. (New): The disposable cartridge of claim 2 wherein said micro pump is fluidically isolated from a source of the alternating inductive magnetic fields.

Appln. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

16. (New): The disposable cartridge of claim 2 wherein the rotatable portion is contained within the disposable cartridge so that the rotatable portion is isolated from and does not contaminate a source of the alternating inductive magnetic fields.
17. (New): The disposable cartridge of claim 2 wherein an actual pumping mechanism of the micro pump is completely isolated from a source of the alternating inductive magnetic fields.
18. (New): The disposable cartridge of claim 2 wherein the paddle wheel in micro-pump conduits that contain paddle wheel chambers to house the paddle wheels recessed in the conduits to facilitate cartridge assembly.
19. (New): The disposable cartridge of claim 2 wherein the paddle wheel acts as a valve in the network to isolate the biological fluid prior and after pumping to control reaction time and isolate analytical reactions.
20. (New): The disposable cartridge of claim 3 wherein said alternating inductive magnetic fields provide a torsion force to the rotatable portion that does not exceed the level that would lyse or puncture blood cells.
21. (New): The disposable cartridge of claim 3 wherein a plurality of micro pumps are placed within the network of the cartridge.
22. (New): The disposable cartridge of claim 3 wherein said micro pump is fluidically isolated from a source of the alternating inductive magnetic fields.
23. (New): The disposable cartridge of claim 3 wherein the rotatable portion is contained within the disposable cartridge so that the rotatable portion is isolated from and does not contaminate a source of the alternating inductive magnetic fields.

Appln. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

24. (New): The disposable cartridge of claim 3 wherein an actual pumping mechanism of the micro pump is completely isolated from a source of the alternating inductive magnetic fields.

25. (New): The disposable cartridge of claim 3 wherein the paddle wheel in micro-pump conduits that contain paddle wheel chambers to house the paddle wheels recessed in the conduits to facilitate cartridge assembly.

26. (New): The disposable cartridge of claim 3 wherein the paddle wheel acts as a valve in the network to isolate the biological fluid prior and after pumping to control reaction time and isolate analytical reactions.

27. (New): The point-of-care device of claim 8 wherein a plurality of micro pumps are placed within the network of the cartridge.

28. (New): The point-of-care device of claim 8 wherein the rotatable portion is contained within the disposable cartridge so that the rotatable portion is isolated from and does not contaminate said external electromagnet.

29. (New): The point-of-care device of claim 10 wherein the electromagnet is reused with successive disposable cartridges, and wherein an actual pumping mechanism of the micro pump is contained within the cartridge so that it is completely isolated from and does not contaminate said external electromagnet.

30. (New): The point-of-care device of claim 10 wherein the electromagnet comprises a micro-coil which causes the paddle wheel to move according to the alternating field in the micro-coil.

31. (New): The point-of-care device of claim 10 wherein the paddle wheel in micro-pump conduits that contain paddle wheel chambers to house the paddle wheels recessed in the conduits to facilitate cartridge assembly.

Appln. No.: 10/643,071  
Supplemental Amdt./Response filed July 6, 2005  
replying to Office Action of Dec. 28, 2004

PATENT  
Customer No. 22,852  
Attorney Docket No. 10004024-2

32. (New): The point-of-care device of claim 10 wherein said alternating inductive magnetic fields provide a torsion force to the rotatable portion that does not exceed the level that would lyse or puncture blood cells.

33. (New): The point-of-care device of claim 10 wherein a plurality of micro pumps are placed within the network of the cartridge.

34. (New): The point-of-care device of claim 10 wherein the paddle wheel acts as a valve in the network to isolate the biological fluid prior and after pumping to control reaction time and isolate analytical reactions.